




UNILUX

ELITE



The ELITE lamp combines elegant design with advanced features: it offers customizable, glare-free lighting thanks to its rotating arm and asymmetrical light distribution. Compact and intuitive, it enhances your workspace while offering a light therapy mode with proven benefits for mood, energy, and sleep regulation.






- **Lighting optimization:** with its rotating (+/- 90°) and sliding arm, ELITE lets you direct the light with a simple movement, providing perfect brightness in an instant.
- **Asymmetrical lighting:** ELITE features asymmetrical lighting that significantly reduces glare and optimizes illumination of targeted areas.
- **Light therapy mode:** this lamp promotes well-being and vitality throughout the day, helping to alleviate depressive states, including seasonal affective disorder caused by lack of sunlight.
- **Color temperature adjustment:** customize the lighting to suit your needs—whether you're relaxing, reading, or working.
- **Design:** with its sleek, airy design and uniform light, ELITE adds a touch of elegance to your space.
- **Practical:** mounted with a clamp, this lamp saves desk space and fits easily behind your computer.




Maxi height : 90 cm
Mini height: 20 cm

Materials : head and arms in
recyclable aluminum
Warranty : 2 years




Measurement in lux on the work
surface from a top view at 40 cm :




> 500 Lux

Measurement in lux on the work
surface from a side view at 40 cm :



Measurement in nanometers of the
light spectrum :



- ☐ 0 No-risk
- ☒ 1 Low-risk
- ☐ 2 Moderate-risk
- ☐ 3 High-risk

SAP. code	400202310
EAN code	3595560042272
Color	Black
Luminous flux (Lm)	2993
Lux (Lx)	3672 at 40 cm
Melanopic lux (lx)*	2599 at 30 cm
Energy efficiency (Lm/W)	121
Color temperature (K)	3000 / 4000 / 5000 / 6500
CRI	84
Source lifespan (h)	50 000
Energy consumed (kWh/1000 h)	24
Net weight (kg)	1.7

*Melanopic lux is a measure of light weighted according to its ability to stimulate retinal cells involved in regulating the circadian rhythm. A melanopic light level of 250 to 300 lux is sufficient to trigger a beneficial biological response, promoting alertness, circadian rhythm regulation, and reduced sleepiness.


ABOUT UNILUX

Founded in 1952, UNILUX is a French company specializing in lighting and ergonomics. Since joining the Hamelin Group in 2000, the company has undergone a significant transformation in France and across Europe, evolving from a simple lighting supplier into a true creator of ambiance and well-being.




OUR EXPERTISE

Light therapy, the key to well-being in the workplace



Best melanopic efficacy on the market



What are the benefits?

- ✓ Regain well-being and vitality thanks to its melatonin-blocking effect.
- ✓ Resynchronize your circadian rhythm and improve sleep quality. It helps you recover more quickly from jet lag and is perfectly suited for night shift workers.
- ✓ Combat seasonal depression, fatigue, and low moods.

When expertise and well-being merge, light reveals its full potential...

Dayvia, the pioneering French brand in light therapy, has partnered with Unilux, a lighting expert and creator of wellness-enhancing atmospheres. Together, they bring to life ELITE, an exceptional product that combines elegant design with innovative features. Its sleek lines and advanced technology make ELITE a true wellness object, delivering the benefits of light therapy to boost performance, enhance motivation, and ensure everyday comfort.

ENVIRONMENT



UNILUX focuses on sustainable development and takes concrete measures to reduce its environmental footprint and best meet the evolving expectations of its consumers.



We are notably committed to reduce our greenhouse gas emissions by 29% between 2021 and 2030 in response to the "Net Zero Carbon Emissions by 2050" challenge. Eco-design, emissions reduction and continuous improvement are at the core of our concerns.

pCon Planner

Integrate Unilux products seamlessly into your 3D space designs.
Access to essential data : dimensions, prices, etc.



Website

Explore our full range, tips, blog articles, and more.



Do you have any questions ?

Our customer service is always available to assist you.

GLOSSARY



ON / OFF



Light intensity dimming



Color temperature variation



Asymmetrical lighting



Replaceable light source (LED only) by a professional.



European compliance



Energy class

HAMELIN

BP 70122 - 14204 HEROUVILLE ST CLAIR - France

www.hamelinbrands.com

www.my-unilux.com

E-mail : contact.unilux@hamelinbrands.com

UNILUX